

# Certificate of Analysis

Type of Use: Adult Use  
Powered by Confident LIMS  
1 of 1

## Upstate Elevator Supply Co.

Contact Person: Nicholas Hageman  
Burlington, VT 05401

(1NN) NNN-NNNN  
Lic. #

Sample: 2412RLI0493-1712

Strain: THC/CBD

Batch#: ; Batch Size: g

Sample Received: 12/19/2024; Report Created: 12/26/2024;

End: Raspberry Hibiscus THC Seltzer THC 3  
Ingestible, Beverage

## Sampling

Sample Collection Date/Time: 12/19/24 8:15  
Sample Collection Site: Buffalo Fermentation  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations:


## Safety

Not Tested

Pesticides

Not Tested

Microbials

Not Tested

Mycotoxins

Not Tested

Solvents

Not Tested

Metals

Not Tested

Foreign Matter

## Cannabinoids

2.86 mg/unit

Total THC

2.84 mg/unit

Total CBD

NT

Moisture

Analyte	LOQ	Result	Result
	mg/g	mg/unit	%
CBDVa	0.00	ND	ND
CBDV	0.00	ND	ND
CBDa	0.00	ND	ND
CBGa	0.00	ND	ND
CBG	0.00	ND	ND
CBD	0.00	2.84	0.001
THCV	0.00	ND	ND
THCVa	0.00	ND	ND
CBN	0.00	ND	ND
Δ9-THC	0.00	2.86	0.001
Δ8-THC	0.00	ND	ND
(6aR,9R)-d10-THC	0.00	ND	ND
(6aR,9S)-d10-THC	0.00	ND	ND
CBC	0.00	ND	ND
THCa	0.00	ND	ND
CBCa	0.00	ND	ND
<b>Total Cannabinoids</b>		<b>5.71</b>	<b>0.00</b>

Entered By: VJ, Instrument ID: AL2-004  
Method: MTHD-001, Date Tested: 12/24/2024 14:30  
Total theoretical THC % = (delta-9- THC%) + (THCa% x 0.877) + (delta-8- THC%) + (delta-10- THC%)

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
http://www.drstesting.com  
Lic# OCM-CPL-2022-00011


Anshu Shrestha

Anshu Shrestha  
Laboratory Director

Violet Josik

Violet Josik  
Quality Assurance Lead

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com


ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.